

COMPATABILITY CHART						
<u>BRAND</u>	<u>WATTS</u>	<u>RUN TIMES</u>	<u>USES BATTERY (OEM)</u>	<u>EXPO BATTERY</u>	<u>CABLE ADAPTOR</u>	<u>CHARGER</u>
AATON						
<i>Film Cameras</i>						
A-Minima			Four 3v cells (CR123)			
XTR 16/Super 16	12v, 12w		Aaton NiMH			Cha-3
35 III	12v, 16.8w		Aaton NiMH			Cha-3
LTR-7						
ARRIFLEX						
<i>Film Cameras</i>						
16 "S"	variable 8v or constant					
16SR1	12v, 12w	8.3 hours		Li-125	M3-XLR4	
16SR2	12v, 12w	8.3 hours		Li-125	M3-XLR4	
16SR3	24v			13/26		
16SR3 Advanced	24v					
16BL						
BL Evolution	24v					
2C						
2-C/B						
3						
3C						
4						
4S						
16 S/B APEC						
ARRICAM Studio & Light	24v					
435 MOCO						
435 / 435ES	24v		NC 24/7R			
535B	24v		NC 24/7R Block			
765 65mm						
BEAULIEU						
<i>Film Cameras</i>						
R-16						
BOLEX						
<i>Film Cameras</i>						
RX						
RX 1						
RX 2						
RX 3						
RX 4						
RX 5						

COMPATABILITY CHART						
<u>BRAND</u>	<u>WATTS</u>	<u>RUN TIMES</u>	<u>USES BATTERY (OEM)</u>	<u>EXPO BATTERY</u>	<u>CABLE ADAPTOR</u>	<u>CHARGER</u>
Vario Switar						
Switar						
Yvar						
SBM						
EBM	12v					
EL	12v					
CANON						
Video Cameras						
Elura - Mini DV	7.2v, 5.9w (VF), 6.8w (LCD)	8.8 - 10 hours	BP-608	Li-77	DC-905	CA-600
Elura 2 or Elura MC	7.4v, 4.3 w (VF), 5.3w (LCD)	11.3 - 13.9 hours	BP-406, BP-422	Li-77	DC-400	CA-400
Elura 60 / Elura 65	7.4v, 2.6w (VF), 3.3w (LCD)	18 - 23 hours	NB-2LH	Li-77		CA-570
ELURA 70	7.4v, 2.6w (VF) 3.3w (LCD)	18 - 23 hours	BP-2L14	Li-77		CA-570
GL-1	7.2v, 6.7w (VF), 7.4w (LCD)	8.1 - 8.9 hours	BP-915	Li-77	DC-905	CA-910
GL-2	7.2v, 4.8w (VF), 5.7w (LCD)	10.5 - 12.5 hours	BP-915, BP-930, BP-945	Li-77	DC-920	CA-920
XM-1	7.2v, 4.8w (VF), 5.7w (LCD)	10.5 - 12.5 hours	BP-915	Li-77	DC-905	CA-910
GY-DV500U	10.5 to 17v, 20w	10 hours	NP-1	Li-13/26		AA-P250U
OPTURA-SLR	7.2v, 7.1w	8.4 hours	BP-914	Li-77	DC-905	CA-900 / 905
OPTURA Pi	7.4v, 4.7w (VF), 5.5w (LCD)	10.9 - 12.7 hours	BP-511 / 522	Li-77	BP-511	CA-560
Optura 30 / Optura 40	7.4v, 3.4w (VF), 4.2 (LCD)	14.2 - 17.6 hours	NB-2L, NB-2LH, BP-2L12, BP-2L14	Li-77		CB-2LT, CBC-NB2
Optura 300	7.4v, 4.1 (VF), 5.1w (LCD)	11.7 - 14.6 hours	BP 407	Li-77		CA-570
Optura 400 / Optura 500	7.4v, 3.3w (VF), 4.1w (LCD)	14.6 - 18 hours	NB-2LH	Li-77		CA-570
Optura XI	7.4v, 4.5w (VF), 5.7w (LCD)	10.5 - 13.3 hours	BP-512	Li-77		CA-570
ULTURA	7.2v, 5.2w (VF), 6.2w (LCD)	9.6 - 11.5 hours	BP-915, BP-930, BP-941	Li-77		CH-900, CA-500
Vistura-Palmcorder	7.2v, 5.2w	11.5 hours	BP-915	Li-77	DC-900	CA-500
XL-1	7.2v, 9.5w	6.3 hours	BP-927, BP-930, BP-941	Li-77	DC-900, DC-905	CA-900
XL-1S	7.2v, 8.7w	6.9 hours	BP-930	Li-77		CA-910
XL-2	7.2v, 7.1w	8.4 hours	BP-930	Li-77		CA-920
ZR	7.2v, 5.9w	10.1 hours	BP-608	Li-77	DC-600	DC-600

COMPATABILITY CHART						
BRAND	WATTS	RUN TIMES	USES BATTERY (OEM)	EXPO BATTERY	CABLE ADAPTOR	CHARGER
ZR-10	7.4v, 4.7w (VF), 5.5w (LCD)	10.9 - 12.7 hours	BP-511 / 522	Li-77		CA-560
ZR-30	7.4v, 3.7w (VF), 4.5w (LCD)	13.3 - 16.2 hours		Li-77		
ZR-80 / ZR-85 / ZR-90	7.4v, 2.3w (VF), 3.3w (LCD)	18.8 - 26 hours	BP-508	Li-77		CA-570
ECLAIR						
Film Cameras						
NPR 16mm	24w			Duel 125 or Grabbit		
ACL 16mm	12w			Li-125		
ACL 1 1/2						
ACL 2						
CAMEFLEX 35mm "CM3"						
EYEMO						
Film Camera						
FOSTEX						
DAT Recorders						
PD-4	12v, 13w		NP-1B	Model 125 or Grabbit		AD-15
FRIES MITCHELL						
Film Cameras						
35R3						
GC						
HHB						
DAT recorder						
PDR 1000 TC	12v			Li-125	M3-XLR4	
HITACHI						
Video Cameras						
DZ-MV380A	4.7w, 7.2v		DZ-BP14S, DZ-BP7S			DZ-ACS1
DZ-MV550A	4.1 w, 7.2v		DZ-BP14S			DZ-ACS1
DZ-MV580A	4.4w, 7.2v		DZ-BP14S			DZ-ACS1
JVC						
GR-AX890	6v, 3.7w		BN-V11U			LY21103-001A
GR-D200 / GR-D230	7.2w		BN-V408U			AP-V13U
GY-DV500	10.5 - 17v, 20w		NP-H50			AA-P250, AA-610U
GR-DV2000	4.4w (VF)		BN-V11U			AA-V40U
GR-DVL9800U	4.4w (VF)		BNV607U			AAV68BU
GR-DVM50U through 90U	4.5w (VF), 5.4w (LCD)		BNV-507U			AAV50U

COMPATABILITY CHART						
BRAND	WATTS	RUN TIMES	USES BATTERY (OEM)	EXPO BATTERY	CABLE ADAPTOR	CHARGER
GR-DVL300U through 805U	4.3w (VF)		BNV-804U			AAV40U
GR-DVF11, 21, 31	4.5w (VF), 5.6w (LCD)		BNV-214U, BNV-207U			AAV20U
GR-D33	4.6w		BN-V408U			AP-V14U
GR-D72	4.6w		BN-V408U			AP-V14U
GR-D93	4.6w		BN-V408U			AP-V14U
GR-DVP9	4.7w		BNV-107			AA-V100U
GR-DX300	3.4w (VF), 4.6w (LCD)		BN-V107US			LY21103-009A
GR-DX307	3.3w (VF), 4.8w (LCD)		BN-V107US			LY21103-009A
GR-DX77	3.1w (VF), 4.6w (LCD)		BN-V107U			LY21103-009A
GR-DX97	3.1w (VF), 4.6w (LCD)		BN-V107U			LY21103-009A
GR-HD1	8w (VF)		BNV-428U			AA-V40U
GR-SXM260US	3.7 wVF, 4.3w (LCD)		BNV-10U			LY21103-001A
GY-DV300U / GY-DV300U / GY-DV300UZ	7.2v - 12v, 6w		BN-V428U			AA-P30U
IMAX						
<i>Film Cameras</i>						
IW5 / IW5A						
MK II						
MK II Lightweight						
IMAX 3D						
MSM 9801						
MOVIECAM						
<i>Film Cameras</i>						
SL						
Compact	24v					
PANASONIC						
<i>Video Cameras</i>						
AJ-HDC20A	11-17v, 29w save record mode, 38w full operation					
AJ-PD900WA	11-17V, 29w					
AJ-D900WA, 910WA	11-17V, 28W		BNV607U, ABP-700 (Anton Bauer)			AJ-B75 AC Adaptor
AJ-D810A, 700A, 610A	11-17V, 24W					

COMPATABILITY CHART						
BRAND	WATTS	RUN TIMES	USES BATTERY (OEM)	EXPO BATTERY	CABLE ADAPTOR	CHARGER
AJ-D400	11-17V, 23W					
AJ-D215	16w		Anton Bauer Gold Mount			
AG-DVC200	10.5-17V, 18W		Anton Bauer Gold Mount			
AG-DVC7	7.2 Volts to 7.9 Volts DC 4 Watts		CGR-D28			
AG-DVC10	7.2-7.9v, 6.6w		C GRD16A/1B			
AG-DVC30	7.2 Volts to 7.9 Volts DC 8.5 Watts		CGR-D54			
AG-EZ1	8.8w	(7.2v/2.5mAh)(90min) (7.2v/2.5mAh)(2hrs)	AG-BP15 AG-BP25			AG-CB40 DC charger/AC adapter
AG-EZ30	20w	(7.2v/2.5mAh)(90min) (7.2v/2.5mAh)(2hrs)	AG-BP15 AG-BP25			AG-CB40 DC charger/AC adapter
PVDV 100 through 950	7.2v, 6.5w		CGR-DO8A/1B, CGR-D53A/1K			PVDAC11
PV-GS12 / PV-GS14 / PV-GS15	4.5 W, DC 7.2v		CGR-D08 / CGR-D14			DAC-11
AG-DVX100A	7.2 Volts to 7.9 Volts DC, 18 Watts		CGR-D16			AG-B15
PV-GS120	DC 7.2v		VSB0470			PV-DAC14D
PV-GS200	DC 7.2v		CGA-DU14			PV-DAC14D
PV-GS400	DC 7.9v / 7.5w		CGA-DU14			PV-DAC14D
PV-GS9	4.5 W, DC 7.2v		CGR-D08			DAC-11
PVL-354 / PVL-454			HHR-V60A			
PVL-552H			PV-BP18			PV-A19
SV-AV100	3.7v Battery, 4.9v Ac Adapter, 3.7 W		CGA-S302A			VSK0617
SV-AV25	3.7v Battery, 4.8v Ac Adapter, 2 W		CGA-S302A			VSK0647
SV-AV50 / SV-AV50S	3.7v Battery, 4.8v Ac Adapter, 2 W		CGA-S003A			VSK0647
VDR-M50	4.9 w, Battery Power 7.2v		CGA-DU14			PV-DAC13
VDR-M70	5.2w, Battery Power 7.2v		CGA-DU14			PV-DAC13

COMPATABILITY CHART						
<u>BRAND</u>	<u>WATTS</u>	<u>RUN TIMES</u>	<u>USES BATTERY (OEM)</u>	<u>EXPO BATTERY</u>	<u>CABLE ADAPTOR</u>	<u>CHARGER</u>
PHOTSONICS						
<i>Film Camera</i>						
Actionmaster 500						
SAMSUNG						
<i>Video Cameras</i>						
SCD-60						
SCD-103	4.6W Viewfinder, 5.0 W LCD, Battery Pack 7.4 V		AD43-00128A			AD44-00090A
SCD-107	3.9W Viewfinder, 4.9 W LCD, Battery Pack 7.4 V		SB-L110			AA-E8
SCD-303	4.0W Viewfinder, 5.0 W LCD, Battery Pack 7.4 V		AD43-00128A			AD44-00090A
SCD-6040	4.6 W Viewfinder, 4.9 W LCD, Battery Pack 7.4 V		SB-L220			
SCD-903	4.4 W Viewfinder, 5.6 W LCD Battery Pack 7.4 V		AD43-00128A			AD44-00090A
SHARP						
<i>Video Cameras</i>						
VL-FD1U			BT-L223U			
VL-SD20U			BT-L241U			
VL-PD3U						
VL-EZ1U						
SONY						
<i>Video Cameras</i>						
DSR-250 ENGPAC DV Cam			BPL40A			BLC50
DSR-250 PAC DV Cam						
DSR-300AL ENG18N	12v, 21w		BPL40A			BCL50
DSR-200A						

COMPATABILITY CHART						
BRAND	WATTS	RUN TIMES	USES BATTERY (OEM)	EXPO BATTERY	CABLE ADAPTOR	CHARGER
DSR-500	12v, 27.5w					
Betacam 600	25w, 12v			Li-125 or Grabbit	GR-XLR4	
HDR-FX1	18w		NPF-570, 770, 970		DK-215, DK-315	AC-V700A
DCM-M1 MD Mini Disk	LCD - 4.5w Viewfinder - 3.2w		NP-F550J			AC-VQ800
TR-7000	LCD - 4.4w Viewfinder - 3.9w		NP-F330			AC-L10 A/B/C AC Adapter
TRV-103/110			NP-F330			AC-L10 A/B/C AC Adapter
TRV-310			NP-F330, 550, 750, 960			AC-L10 A/B/C AC Adapter
TRV-510			NP-F330			AC-L10 A/B/C AC Adapter
TRV-10						
TRV-9	LCD - 5.8w		NP-F10, 20, 30	Requires Booster Cube		
TRV-8						
TRV-65						
TRV-6						
TRV-7	LCD - 5.8w Viewfinder - 4.4w		NP-F530, 730, 930	Li-77(Requires Booster Cube)	DK-315	
PC-1	4.5v		NP-F10, 20, 30	Requires Digital Handshake		
PC-2, 3			NPF-S11			
PD-1	LCD 6 w Viewfinder 5.2w			Li-77	DK-626	
PC-100	LCD 4.5w Viewfinder 3.9w		NP-FM50, NP-FM70, NP-FM90	Li-77	DK-215 (very fragile)	
PC110	LCD 4.2w Viewfinder 3.6w		NP-FM50, NP-FM70, NP-FM90	Li-77	DK-215 (very fragile)	AC-L10 AC Adaptor
PC-120					DK-215	
DCR-DVD101	VF 3.6 w LCD 3.9 w		NP-FM50			AC-L15
DCR-DVD201	VF 4.4 w LCD 4.4 w		NP-FM50			AC-L15
DCR-HC20	2.5 W		NP-FP50			AC-L25
DCR-HC40	3.2 W		NP-FP50		DK-215	AC-L25
DCR-HC65	3.8 W		NP-FP50			AC-L25
DCR-HC85	4.4w		NP-FP50			AC-L25
DCR-IP1	3.8w		NPF-F51			AC-L25
DCR-IP220	LCD Off: 4.4 w, LCD On: 5.0 w		NPF-F70			AC-L20

COMPATABILITY CHART						
<u>BRAND</u>	<u>WATTS</u>	<u>RUN TIMES</u>	<u>USES BATTERY (OEM)</u>	<u>EXPO BATTERY</u>	<u>CABLE ADAPTOR</u>	<u>CHARGER</u>
DCR-IP55	LCD Off: 3.8w, LCD On: 4.4w		NPF-F50			AC-L20
DCR-PC109	3.2w		NP-FF51			AC-L25
DCR-PC350	3.4w		NP-FF51			AC-L25
DCR-TRV260	3.4w		NP-FM30			AC-L15
DCR-TRV39	3.5w		NP-FM30			AC-L15
DCR-TRV460	3.8w		NP-FM30			AC-L15
DCR-VX2100	7.2w		NP-F330			AC-L15
HDR-FX1			NP-F750			
PD-1	LCD - 6w Viewfinder - 5.5w		NP-F220, 330		DK-626	
PD-100A			NP-F 730	Li-77	DK-215	AC-L10 AC Adaptor
PD-200A						
PD-150	4.7 w		NP-F960text	Li-77	DK-315	
PD-100			NP-F730, 930	Li-77	DK-315	
PDX-10	LCD 6.5w, VF 5.2w		NP-FM50		DK-215	AC-L10A
PC-4, 5	LCD - 6w Viewfinder - 5.5w		NP-FS-11, 21, 31			
PC-7	LCD 6 w Viewfinder 5.2w			Li-77	DK-626	
PC-10				Li-77	DK-626	
TRV-900	LCD 5.2w Viewfinder 4.1w		NP-F330 (OEM)	Li-77	DK-315	AC-L10 AC Adaptor
TRV-11	LCD 3.5w Viewfinder 2.6w		NP-F330 (OEM)			AC-L10 AC Adaptor
TRV20	LCD 3.5w Viewfinder 2.6w		NP-FM50 (OEM)			AC-L10 AC Adaptor
TRV-65				Li-77	DK-315	
TR-200				Li-77	DK-515 / 516	
TR-500				Li-77	DK-515 / 516	
TR-81			NP-77, 66, etc.	Li-77	On-board 77-H adapt	
TRV-101			NP-77, 66, etc.	Li-77	On-board 77-H adapt	
VX-1000			NP-720, 2700 MAH, NP-F 730		DK-715	AC-V515
VX-2000	LCD 4.5w Viewfinder 3.9w		NP-F330 (OEM)	Li-77	DK-315	AC-VQ800/DV-VQ800
VX-9000	11.6w		NP-F930	Li-77	DK-715	AC-V615
HDW-700	41w, 12v			1 Grabbit, 2 Grabbits for cold climates		
Digi BetaCam 707	29w, 12v			1 Grabbit		
Digi BetaCam 709	31.5w, 12v					

COMPATABILITY CHART						
<u>BRAND</u>	<u>WATTS</u>	<u>RUN TIMES</u>	<u>USES BATTERY (OEM)</u>	<u>EXPO BATTERY</u>	<u>CABLE ADAPTOR</u>	<u>CHARGER</u>
Digi BetaCam 790	32w, 12v					
<i>Video Walkmans</i>						
GV-D300						
GV-D900				Requires Booster Cube		
GV-A500						
<i>Mini Disk Recorders</i>						
MZ-B3				Li-55		
TASCAM						
<i>DAT Recorders</i>						
DAD1	7.5v				Cable Mod (Requires Charger Trade-In)	
TEAC						
<i>DAT Recorders</i>						
HHB 1000	12v 9w					
HHB-1000TC	12v, 12w					